Spreader Enquiry Guide

Straddle Carrier Spreaders





ELME Enquiry date	
ELME Enquiry number	

Welcome to ELME Spreader!

This is our spreader enquiry guide designed to make it easier for us to understand what kind of spreader you need or are looking for. Please complete the form.

Customer enquiry/p	roject number	 -
Company		
		-
Cell-phone number		 _
	Street/Box	
	Post address	
	Country	

STRADDLE CARRIER

	irer
Straddie Carrier Modei	
•	☐ Yes ☐ No Model Serial number
B. Container size/No. of	lifts yearly/Maximum weight of container
	no. of lifts yearlyWeight
	no. of lifts yearlyWeight
30,	no. of lifts yearlyWeight
<u> </u>	no. of lifts yearlyWeight
<u></u> 45'	no. of lifts yearlyWeight
C. Twin Lift - 2x20'	es no. of lifts yearlyWeight
D Lifting Canacity Toppe	•
D. LITTING CAPACITY TOTTINE	S
E. No. of working hours	per year
F. Power Supply	Voltage
	Current
G. Control power	Voltage DC
H. Electrical Interface	PROFIBUS CAN-Bus ASi Hardwired
I. Electrical Connector	HAN 24 B Male (ELME Std.) Customer specified
J. Colour	Standard RAL 1003 Signal Yellow Customer specified RAL no.
K. Surface treatment	C4M (ELME Std.)
	Customer specified
Other options	

TRANSPORT

With transport	YesNoRoadSeaAir
Incoterms	FCA FOB CIF
Delivery address	CompanyStreet/BoxPost address
	Country
Other options	

