



Spreader Enquiry Guide

Crane Spreaders



ELME Enquiry date _____

ELME Enquiry number _____

Welcome to ELME Spreader!

This is our spreader enquiry guide designed to make it easier for us to understand what kind of spreader you need or are looking for. Please complete the form.

Customer enquiry/project number _____

Company _____

Contact person _____

E-mail address _____

Telephone number _____

Cell-phone number _____

Company address Street/Box _____

Post address _____

Country _____



CRANE SPREADER

Crane Manufacturer _____

Crane Model _____

A. Existing spreader Yes No

Model _____

Serial number _____

B. Handling

- RMG (Rail Mounted Gantry)
- RTG (Rubber Tyred Gantry)
- MHC (Mobile Harbor Crane)
- STS (Ship to Shore)

C. Lifting Capacity Tonnes _____

D. No. of working hours per year _____

E. Container size/No. of lifts yearly/Maximum weight of container

20' no. of lifts yearly _____ Weight _____

27' no. of lifts yearly _____ Weight _____

30' no. of lifts yearly _____ Weight _____

40' no. of lifts yearly _____ Weight _____

45' no. of lifts yearly _____ Weight _____

F. Twin Lift - 2x20' Yes no. of lifts yearly _____ Weight _____

G. Flippers Yes Corner flippers 4
Side flippers 2 4 6

H. Fixed guides Yes Corner guides 4
Side guides 2 4

I. Intermodal Type of leg Europe Australia North America
Type of foot Europe UIC599VE Australia North America

J. Power Supply Voltage _____
Current _____

K. Control power Voltage _____ AC DC

L. Electrical Interface PROFIBUS CAN-Bus ASi Hardwired

M. Electrical Connector HAN 48 B Male (ELME Std.)
 Customer specified _____

N. Lifting-/lowering speed Lifting speed _____
Lowering speed _____

O. Rotatable Yes (-105° /+195° ELME Std.)

P. Colour Standard RAL 1003 Signal Yellow
 Customer specified RAL no. _____

Q. Surface treatment C4M (ELME Std.)
 Customer specified _____

Other options

PIGGY BACK SLAVE ATTACHMENT

Truck Manufacturer _____

Truck Model _____

A. Existing spreader Yes No
Model _____
Serial number _____

B. Intermodal Type of leg Europe Australia North America
Type of foot Europe Australia North America
 Fixed 2 foldable 4 foldable

C. Fork pockets Yes CC-dimension _____

D. Corner castings 20 ft. (ELME Std.)

E. Size on forks _____

F. Electrical Connector Harting (ELME Std.)
 Customer specified _____

G. Colour Standard RAL 7021Black Grey
 Customer specified RAL no. _____

H. Surface treatment C3M (ELME Std.)
 Customer specified _____

Other options _____

