Spreader Enquiry Guide

Crane Spreaders





ELME Enquiry date	
ELME Enquiry number	

Welcome to ELME Spreader!

This is our spreader enquiry guide designed to make it easier for us to understand what kind of spreader you need or are looking for. Please complete the form.

Customer enquiry/p	roject number	 _
Company		
		_
Cell-phone number		 _
Company address	Street/Box	
	Post address	
	Country	



CRANE SPREADER

Crane Manufacturer			
Crane Model			
A. Existing spreader			
B. Handling	RMG (Rail Mount RTG (Rubber Tyr MHC (Mobile Ha	ed Gantry) arbor Crane)	
C. Lifting Capacity To	nnes		
D. No. of working ho	urs per year		
_	of lifts yearly/Maximul 20' no. of lifts yearly		ontainer _Weight
=	•		_Weight
			_Weight
			_Weight
F. Twin Lift - 2x20'	Yes no. of lifts yea	nrly	_Weight
G. Flippers [Yes Corner flipper Side flippers		<u> </u>
H. Fixed guides	Yes Corner guides Side guides	3	
	e of leg Europe e of foot Europe		☐ North America ☐ North America
J. Power Supply	Voltage Current		
K. Control power	Voltage		Пас∏дс

L. Electrical Interface	PROFIBUS CAN-Bus ASi Hardwired
M. Electrical Connector	HAN 48 B Male (ELME Std.) Customer specified
N. Lifting-/lowering speed	Lifting speed Lowering speed
O. Rotatable	☐ Yes (-105° /+195° ELME Std.)
P. Colour	Standard RAL 1003 Signal Yellow Customer specified RAL no.
Q. Surface treatment	C4M (ELME Std.) Customer specified
Other options	

PIGGY BACK SLAVE ATTACHMENT

A. Existing spreade	r
	Type of leg
C. Fork pockets	Yes CC-dimension
D. Corner castings	20 ft. (ELME Std.)
E. Size on forks	
F. Electrical Connec	Harting (ELME Std.) Customer specified
G. Colour	Standard RAL 7021Black Grey Customer specified RAL no.
H. Surface treatmer	C3M (ELME Std.) Customer specified
Other options	
-	
-	
-	